



Nominal Pressure		1.6
Testing	Shell	2.4
Pressure	Sealing	1.76
Mpa		

DIMENSIONS: (mm)

SIZE	DN	C	PN16							UPPER FLANGE		Torque (Nm)
			D1	n- ϕ d1	a	K	E	z-d	g	P		
1.5	40	33	110	4-19	45	65	50	4-7	35	9	33	
2	50	42	125	4-19	45	65	50	4-7	35	9	33	
2.5	65	45	145	4-19	45	65	50	4-7	35	9	49	
3	80	44.2	160	4-19	22.5	65	50	4-7	35	9	74	
4	100	51.1	180	4-19	22.5	90	70	4-10	55	11	109	
5	125	54.5	210	4-19	22.5	90	70	4-10	55	14	176	
6	150	54.8	240	4-23	22.5	90	70	4-10	55	14	242	
8	200	59.6	295	4-23	15	125	102	4-12	70	17	454	
10	250	67	355	4-28	15	125	102	4-12	70	22	757	
12	300	75.9	410	4-28	15	125	102	4-12	70	22	1092	



8	Handle		
7	O Ring	EPDM	
6	Bushing	POLYMERS	
5	Pin	Stainless Steel 304	
4	Disc	CF8	
3	Shaft	Stainless Steel 420	
2	Seat	PTFE	
1	Body	Cast Iron	
ITEM	PART NAME	MATERIAL	REMARK

sign	time	change code	signature	date	Wafer Type Butterfly Valve
design					
					40-300D7A1F-16
			approve		
		weight (Kg)		ratio	